



COVID-19

THE US CDC, HEALTH CANADA AND THE WORLD HEALTH ORGANIZATION RECOMMEND 1000PPM (0.1%) SODIUM HYPOCHLORITE FOR DISINFECTING HARD SURFACES, ENSURING CONTACT TIME OF AT LEAST 1 MINUTE.

PCS NPH 2000 Concentrated Neutral pH Oxidizing Cleaner Disinfectant and No Rinse Sanitizer.

Contains .2%/2000 ppm of Neutral pH sodium hypochlorite/hypochlorous acid when packed.
DIN:02465582

Cleaning and disinfecting frequently touched surfaces during COVID-19 Pandemic.
Instructions for use of 1000 ppm/.1% sodium hypochlorite as recommended by provincial and local public health units.



MATERIALS

Disinfecting Solution

- Dilute 500 mls of NPH 2000 Concentrated Neutral pH Disinfectant with 500 mls of water place in spray bottle with work place label.

Cleaning/Rinse Solution

- Dilute 25 mls of NPH 2000 per litre of water.
- Add Toraysee™ cloth to cleaning solution

PROCEDURE

To clean and disinfect frequently touched surfaces.

- Remove Toraysee from cleaning solution and squeeze out liquid from cloth
- Lightly spray frequently touched surfaces or dampened Toraysee™ with diluted solution of 1000ppm of NPH 2000
- Damp wipe surfaces to remove organic soils and to evenly apply NPH 1000 disinfecting solution
- Allow to air dry
- Rinse Toraysee™ frequently in cleaning solution
- Change cleaning solution when visibly soiled
- One Toraysee™ cloth can be used to clean and disinfect all day

Toraysee™ cloth dampened with NPH 2000 cleaning solution or water effectively removes organic soils including nano particles such as ATP, bacteria and viruses. Toraysee™ synergy with Neutral pH 1000 ppm sodium hypochlorite.

Effective Oxidation and Disinfection of Organic soils not removed by Toraysee™ wiping.

Toraysee™ antimicrobial finishing effectively protects Toraysee cloth from microbial contamination even after sixty commercial laundering cycles.

*Clean and disinfect Toraysee™ cloth at end of use for the day.

[COVID-19 - THE US CDC, HEALTH CANADA AND THE WORLD HEALTH ORGANIZATION RECOMMEND 1000PPM \(0.1%\) SODIUM HYPOCHLORITE FOR DISINFECTING HARD SURFACES, ENSURING CONTACT TIME OF AT LEAST 1 MINUTE.](#)

“ For SARS-CoV-2 WHO advises either 0.1%(1000 ppm) sodium hypochlorite.70-90 % ethanol or hydrogen peroxide 0.5% with a contact time of at least 1 minute.”