

Members

Username:

Password:

Not a CIRI member?

[Discover the benefits of membership & support our work](#)
[Learn more & Join Now!](#)

Search

Symposia

[Register to Attend](#)

[Agenda & More Info](#)

[Conference Videos](#)

[Conference Materials](#)

Topics

[Schools](#)

[Healthcare](#)

[Food Service](#)

[Commercial Buildings](#)

[Cleaning Measurement](#)

[IEQ Measurement](#)

[Health & Hygiene](#)

[Green](#)

Resources

[Book Reviews](#)

[Photo Archive](#)

[Industry Resources](#)

Research

[Science Advisory Council](#)

[Contributing Scientists](#)

[Science Papers](#)

[Other Resources](#)

About CIRI

[News & Media](#)

[What is CIRI?](#)

[Vision & Mission](#)

[Board Members](#)

[Bylaws](#)

[Founding Sponsors](#)

Article

DETERGENT RESIDUES

Detergent Residues on Surfaces - Food for Microbes

By [Dr. Jay Glasel](#)

CATEGORIES: [SCHOOLS](#), [HEALTHCARE](#), [FOOD SERVICE](#), [COMMERCIAL BUILDINGS](#), [CLEANING MEASUREMENT](#), [IEQ MEASUREMENT](#), [HEALTH & HYGIENE](#), [GREEN](#)

TAGGED: [DETERGENT RESIDUES](#), [DISINFECTING](#), [SANITIZING SURFACES](#)

As many authors have previously emphasized, cleaning and sanitization (or disinfection) of surfaces are separate processes that need to be carried out in separate steps. But within the cleaning process there also needs to be a separation between the application of cleaning solutions containing detergents and the removal by rinsing of any detergent residue after the use of the cleaning solutions.

Detergent Chemistry

In Europe, USA, and Japan the use of soaps for cleaning has been largely replaced by synthetic anionic surfactants (detergents) of the class technically called linear alkylbenzene sulfonates (LASs). Linear LASs show very good detergency performance and, as a result of their high solubility, are also frequently used in formulations for liquid detergents. The total world production of LASs now is many millions of tons per year.

The chemical structure of an LAS detergent molecule

The chemical structure of the LAS molecule is in the form of a negative ion. Because of their negative charge, LAS detergents are called anionic detergents. Many commercial cleaner formulations are mixtures of an LAS detergent and a type of detergent molecule that has no ionic charge, i.e., a non-ionic detergent.

Immediately after use in surface cleaning, and independent of whatever method is used to apply them, detergent molecules remain chemically unchanged. However, a small but finite amount of detergent remains on the surface. Detergents are then either rinsed off the surface being cleaned or—in all too many cases—remain as residue on the surface in the absence of good rinsing.

In this article we're interested in the fate of detergent residues left on surfaces after cleaning.

Detergents as Bacterial Nutrients

LAS molecules are composed of atoms of the elements carbon, hydrogen, oxygen, and sulfur. These chemical elements are essential in the nutrients that keep all living organisms alive. During their development over their long history on earth, bacterial species have diversified so that some bacterial species can be found that will use as a food source almost any molecule containing the elements just named.

For example, members of the species Actinomycetes will degrade amyl alcohol, paraffin, and rubber and the species Burholderia cepacia will degrade over 100 different carbon compounds. As a practical example, environmental bacteria can degrade the environmental polluting ethylene/diethylene glycol mixtures used in aircraft de-icing at airports (Revitt, Garelick et al. 2002). Some species of bacteria can even live and propagate using as food the minute amounts of any organic molecules that are found in ordinary distilled or deionized water!

So it is not surprising that some bacterial species can use as food the organic detergent molecules such as LASs in common use for cleaning. Thus, in hyper-clean pharmaceutical cleanroom operations the cleaning solutions that are used are sterilized before use and rinsing after use is strictly observed.

Detergents as Bacterial Food

The detergents used in commercial cleaning solutions used in the US are strongly encouraged by the EPA to be "biodegradable" and in Europe are required by law to be such. While many in the cleaning industry are aware of the advantages of biodegradability for cleaning products, they may not make the connection between biodegradability and its implication: that cleaning products can form food sources for common environmental microbials.

Because of their ubiquitous use in cleaning, their resulting environmental load, and the requirements for their biodegradation, the microbiology and biochemistry of detergent degradation have been intensely studied. A recent paper reviews and summarizes some of this work (Ying 2006). In particular, the complete biodegradation of LAS detergents by environmental mixtures of bacterial species has been described (van Ginkel 1996).

The nutritional use by bacteria of organic molecules like detergents that are adsorbed on surfaces has been studied for almost 70 years (Zobell 1943). A major conclusion from this body of work is that, while the

Support CIRI!



Show your support of CIRI with the 'CIRI Supporter' logo, available for display on your Web site upon [joining CIRI](#).

[Join today](#) and help CIRI advance the cause of cleaner, more productive, and healthier indoor environments through scientific research!

Popular Topics

[Swine Flu](#)
[H1N1](#)
[MRSA](#)
[Staph](#)
[Norovirus](#)
[Flu](#)
[E. Coli](#)
[C. Difficile](#)
[Salmonella](#)
[Green Cleaning](#)
[Cleaning for Health](#)
[Nosocomial Infections](#)
[Disinfection](#)
[Bacteria](#)
[Viruses](#)
[Indoor Air Quality](#)
[Asthma](#)
[Allergies](#)
[Allergen](#)
[Mold](#)

Did You Know?

Persistent Pathogens

"Pathogens can remain alive and active even on dry surfaces, and be picked up by hands, feet, etc. A large percentage of seemingly normal asymptomatic individuals can be carriers of pathogens. MRSA is a good example of this. Perhaps 15-30% of so-called normal individuals are carriers of MRSA; that is why the problem is so widespread."

Jay Glasel, PhD
 Microbiologist

exact mechanisms of the biodegradation processes may differ from those in solution, adsorbed detergent and other organic molecules on surfaces can be used for bacterial growth.

Detergents and Sanitizers

As previously noted, a well-executed cleaning and sanitization program consists of two separate steps: cleaning and then application of a sanitizer.

We have just seen that detergent residues left on surfaces can provide nutrients for bacteria also left on the surface. But won't the sanitizers then applied to the surface after cleaning kill the bacteria? The answer is no, and the reason is based on the chemistry of common sanitizer molecules. The structure of a very widely used group of sanitizers, the benzalkonium series of sanitizers (commonly called "Quats") is based on a permanently positively charged (cationic) ion consisting of a nitrogen atom with 4 substituents on it (i.e., making it a quaternary substituted ammonium ion). Quats act as sanitizers by killing bacteria via the action of their positive charges on bacterial membranes.

So the problem is, if a surface is not thoroughly rinsed free of anionic detergent residue prior to the application of a Quat sanitizer, the positively charged Quat becomes electrically neutralized by the negatively charged detergent residue and its anti-microbial action can be totally inactivated. And since the detergent-Quat complex so formed contains even more nutrient molecules than the detergent residue alone, it's an even better growth medium for bacteria.

The conclusion is that removal of detergent residue by thorough rinsing after the cleaning step is an absolute necessity prior to application of a sanitizer.

References

Revitt, D., H. Garelick, et al. (2002). Pollutant Biodegradation Potentials on Airport Surfaces. Proceedings of the 9th Conference on Urban Drainage, ASCE.

Van Ginkel, C. (1996). "Complete degradation of xenobiotic surfactants by consortia of aerobic microorganisms." *Biodegradation* 7: 151-164.


Ying, G. G. (2006). "Fate, behavior and effects of surfactants and their degradation products in the environment." *Environ Int* 32(3): 417-431.

Zobell, C. E. (1943). "The Effect of Solid Surfaces upon Bacterial Activity." *J Bacteriol* 46(1): 39-56.

Detergent Residues on Surfaces - Food for Microbes: Created on January 24th, 2011. Last Modified on January 24th, 2011

[Disclaimer ↓](#)

Comments



Member Access

Sorry, only CIRI Members are allowed to comment.

If you're a member, sign in:

Username: Password:

Not a CIRI Member? [Join Today](#) to tap CIRI knowledge and networking resources

Sorry, there are currently no comments on this article...

About Dr. Jay Glasel

Dr. Jay Glasel is the Managing Member and Founder of Global Scientific Consulting, LLC. He is a Professor Emeritus in the Department of Microbial, Molecular and Structural Biology at the University of Connecticut Medical/Dental School in Farmington, Connecticut. He has lectured and done research in many countries in Europe and Asia. Dr. Glasel's scientific research has been in the fields of structural biochemistry, molecular immunology, pharmacology, and cell biology. Major portions of the research involved the structure and properties of water and aqueous solutions and on the structural chemistry and molecular biology of opiates and opiate peptides. He pioneered the uses of anti-morphine monoclonal antibodies and anti-opiate receptor anti-idiotypic antibodies in research on the cellular effects and actions of narcotics.

Dr. Glasel is co-editor and an author for the Academic Press textbook "Introduction to Biophysical Methods


Other Articles by Dr. Jay Glasel

- [What the Cleaning Industry Can Learn from Cleanrooms](#)
- [The Importance of Correct Sampling and Swabbing in ICM Programs](#)
- [Restroom Cleaning: Using Science in the Fight Against Design Flaws](#)
- [Bringing Home Something Other than Homework from School: Microbial Contamination from Highly Touched Objects](#)
- [Summary of the MRSA Problem](#)

for Protein and Nucleic Acid Research" and many other contributed book chapters and original scientific research articles.

Dr. Glasel obtained a B.S. in chemistry and physics from Caltech. His Ph.D. from the University of Chicago was in chemical physics for work on chemical reactions on comets. He has served on active duty in the U.S. Air Force as a nuclear research officer.

Popular Topics: [Swine Flu](#) | [H1N1](#) | [MRSA](#) | [Staph](#) | [Norovirus](#) | [Flu](#) | [E. Coli](#) | [C. Difficile](#) | [Salmonella](#) | [Green Cleaning](#) | [Cleaning for Health](#) | [Nosocomial Infections](#) | [Disinfection](#) | [Bacteria](#) | [Viruses](#) | [Indoor Air Quality](#) | [Asthma](#) | [Allergies](#) | [Allergen](#) | [Mold](#)



This site donated by:
© 2007-2013 The Cleaning Industry Research Institute
A 501.c.3 not-for-profit scientific, educational and research institute
1988 Central Avenue
Albany, NY 12205

Phone: (888)285-2474
Fax: (518)456-6445

[Privacy Policy](#) | [Shipping Policy](#) | [Return Policy & Procedure](#)