



## New Four Fold Wipes

Sodium Hypochlorite and Hypochlorous Acid compatible.  
Wipes can be dispensed from bucket wet or dry.

### When used to dispense dry wipes.

- Remove lid and thread first wipe from center of roll and thread through the lid and secure lid to the bucket.
- PCS recommends adding PCS 1000 Plus Oxidizing Disinfectant Cleaner to wiper.

### PCS 1000 Plus Oxidizing Cleaning Process for removal of Dry Surface Biofilm Matrix.

- Add 10 mls of PCS 1000 Plus to PCS Four Sided wiper.
- 1st Wipe over frequently touched surfaces adding friction and additional PCS 1000 Plus if needed.
- 2nd Wipe surfaces dry with PCS Hygienic Microfiber Cloth to remove biofilm matrix.

### When used to dispense saturated wipes

1. Place workplace label on pail in the assigned area.
2. Remove lid and thread wipe from center of roll through the lid.
3. Add 946 mls of PCS 1000 Plus slowly over wipes in the bucket then secure the lid to pail.
4. Allow the liquid to saturate the wipes for a few minutes before use.

### Follow PCS 1000 Plus Process for Removal of Dry Surface Biofilm Matrix.

1. Remove the wiper slowly from the bucket and wipe frequently touched surfaces to clean and oxidize organic soils.
2. Wipe surfaces with PCS Hygienic Microfiber Cloth to remove biofilm matrix.

